

**SDS Report** No. SHAHG2003100205 Date: Apr. 16, 2020 Page 1 of 1

SHANGHAI NNW NEW MATERIALS TECHNOLOGY CO.,LTD. ROOM 402, Buildiing17, Lane 268, Lingxin Road, Changning District Shanghai 200335, CHINA

SGS Ref. No. SHHL2003505634SD-SH Sample Name WHITEBOARD INK (BLACK)

**End Uses** TO WRITE

Composition/Ingredient of See Section 3 Composition/information on ingredients on the SDS

sample (as per client submission) report

Job Receiving Date Mar 13, 2020 Last Information Date Apr 13, 2020

SDS Preparation Period Mar 13 - Apr 13, 2020

Service Requested Preparation of Safety Data Sheet (SDS) for the sample with

submitted information.

As per request, the contents and formats of the SDS are prepared Summary

in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No

2015/830, and is provided per attached.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Cathy Cai

Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms

3<sup>rd</sup>Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899

Printing date 13.04.2020 Version number 1.0 Revision: 13.04.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: WHITEBOARD INK (BLACK)

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: TO WRITE

· 1.4 Emergency telephone number:

Su Jicheng

Tel: 13311812200

**FRANCE** 

Anti-poison center ORFILA (INRS)

Tel: +33 (0)1 45 42 59 59

**GERMANY** 

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

· 1.5 Reference Number: SHHL2003505634SD-SH; SHAHG2003100205

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.

· Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to CLP Regulation.

· Hazard pictograms



· Signal word Danger

(Contd. on page 2)

Printing date 13.04.2020 Version number 1.0 Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLACK)

(Contd. of page 1)

· Hazard-determining components of labelling: Not applicable

· Hazard statements

H225 Highly flammable liquid and vapour.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable · **vPvB**: Not applicable

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

· Composition:		
CAS: 57-55-6 EINECS: 200-338-0	propane-1,2-diol substance with a Community workplace exposure limit	20.0%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol Flam. Liq. 2, H225	20.0%
CAS: 25322-68-3 NLP: 500-038-2	Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated substance with a Community workplace exposure limit	20.0%
CAS: 9004-96-0 NLP: 500-015-7	Oleic acid, ethoxylated	15.0%
CAS: 25168-73-4 EINECS: 246-705-9	sucrose stearate	15.0%
CAS: 1333-86-4 EINECS: 215-609-9	Carbon black substance with a Community workplace exposure limit	5.0%
CAS: 63148-65-2	Butvar B-98	5.0%

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General description: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with water.

(Contd. on page 3)

Printing date 13.04.2020 Version number 1.0 Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLACK)

(Contd. of page 2)

Never give anything by mouth to an unconscious person.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO<sub>2</sub> powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

*Use respiratory protective device against the effects of fumes/dust/aerosol.* 

Avoid contact with eyes.

Avoid contact with skin.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Prevent formation of aerosols.

Avoid contact with skin and eyes.

For the general occupational hygienic measures refer to section 8.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Printing date 13.04.2020 Version number 1.0 Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLACK)

(Contd. of page 3)

· 7.2 Conditions for safe storage, including any incompatibilities:

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Keep away from ignition sources.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

8 1 Control parameters

· 8.1 Control parameters				
· Ingredients with limit values that require monitoring at the workplace:				
57-55-6 propane-1,2-diol (20.0%)				
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc			
64-17-5 ethanol (20.0%)				
AGW (Germany)	Long-term value: 380 mg/m³, 200 ppm 4(II);DFG, Y			
VLEP (France)	Short-term value: 9500 mg/m³, 5000 ppm Long-term value: 1900 mg/m³, 1000 ppm			
25322-68-3 Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated (20.0%)				
MAK (Germany)	Long-term value: 250 E mg/m³ mittlere Molmasse 200-600; vgl. Abschn. Xc			
1333-86-4 Carbo	n black (5.0%)			
VLEP (France)	Long-term value: 3.5 mg/m³			

#### · Regulatory information

MAK (Germany): MAK- und BAT-Liste

AGW (Germany): TRGS 900 VLEP (France): ED 984, 10.2016 · DNELs: Data not available

- · PNECs: Data not available
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Based on composition shown in Section 3, the following messures are suggested for occupational safety measure:
- · Appropriate engineering controls:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

See Section 7 for information about design of technical facilities.

- · Personal protective equipment:
- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



(Contd. on page 5)

Printing date 13.04.2020 Version number 1.0 Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLACK)

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### · Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

9.1 Information on basic physical and	chemical properties
Appearance:	
Form:	Liquid
Colour:	Black
Odour:	Odourless
Odour threshold:	Data not available.
pH-value:	Data not available.
Melting point/freezing point:	Data not available.
Initial boiling point and boiling range:	Data not available
Flash point:	20-22 °C
Flammability (solid, gas):	Not applicable
Auto-Ignition temperature:	Data not available
Decomposition temperature:	Date not available.
Self-igniting:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
Explosion limits:	
Lower:	Data not available.
Upper:	Data not available.
Oxidising properties	Data not available
Vapour pressure:	Data not available.
Density:	Data not available.
Relative density	Data not available.
Vapour density	Data not available.
Evaporation rate	Data not available.

(Contd. on page 6)

Printing date 13.04.2020 Version number 1.0 Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLACK)

		(Contd. of page 5)
· Solubility in / Miscibility with		
water:	Data not available	
· Partition coefficient: n-octanol/water:	Data not available.	
· Viscosity:		
Dynamic:	Data not available.	
Kinematic:	Data not available.	
· 9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No decomposition if used according to specification.
- · 10.2 Chemical stability Stable under recommended storage conditions.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values rele	vant for classification:	
57-55-6 pr	opane-1,2-diol		
Oral	LD50	20,000 mg/kg (rat)	
Dermal	LD50	20,800 mg/kg (rabbit)	
64-17-5 eti	7-5 ethanol		
Oral	LD50	3,450 mg/kg (mouse)	
		7,060 mg/kg (rat)	
		6,300 mg/kg (rabbit)	
Inhalative	LC50/4 h	20,000 mg/l (rat)	
25322-68-3 Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated			
Oral	LD50	28,915 mg/kg (mouse)	
		22,000 mg/kg (rat)	
		14,000 mg/kg (rabbit)	
9004-96-0	96-0 Oleic acid, ethoxylated		
Oral	LD50	>25,000 mg/kg (mouse)	
1333-86-4 Carbon black			
Oral	LD50	15,400 mg/kg (rat)	
Dermal	LD50	3,000 mg/kg (rabbit)	

- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 13.04.2020 Version number 1.0 Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLACK)

(Contd. of page 6)

- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA	UN1170
14.2 UN proper shipping name ADR/RID/ADN, IMDG IATA	ETHANOL (ETHYL ALCOHOL) mixture ETHANOL mixture
14.3 Transport hazard class(es)	
•	
•	
ADR/RID/ADN, IMDG, IATA	3 Flammable liquids.
ADR/RID/ADN, IMDG, IATA  Class	3 Flammable liquids. 3
· ADR/RID/ADN, IMDG, IATA  · Class · Label · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	· · · · · · · · · · · · · · · · · · ·

Printing date 13.04.2020 Version number 1.0 Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLACK)

Warning: Flammable liquids.
mannig. i unimuote tiquius.
: 33
F- $E$ , $S$ - $D$
A
I of
Not applicable.
IL
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
2
D/E
IL
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN 1170 ETHANOL (ETHYL ALCOHOL) MIXTURE, II
_

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK (German Maximum Workplace Concerntration)		
64-17-5	ethanol	5
1333-86-4	Carbon black	<i>3B</i>

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/1/2020)

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction (20/6/2019)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorization List (13/6/2017)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 13.04.2020 Version number 1.0 Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLACK)

(Contd. of page 8)

### **SECTION 16: Other information**

· Relevant hazard statements

H225 Highly flammable liquid and vapour.

· Classification according to Regulation (EC) No 1272/2008

Flammable liquids Bridging principles

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

End of document

-EU